



## E-Z-GO® TXT®

**TIME-TESTED PERFORMANCE. PROVEN INNOVATION.**

Give your golfers a superior experience with the upgraded TXT. Now packaged with even more smart features, only the TXT combines almost two decades of dependable performance with proven innovation securing its spot as the industry's most trusted golf car.



A Textron Company





## E-Z-GO TXT

Trusted performance is just the beginning. The TXT delivers loads of smart new features to increase convenience and comfort for your golfers, from larger seats and increased dash storage to a USB port for GPS, range finders and smart phones. The redesigned TXT offers more than a new look; it brings a new standard for your golfers.

### PROVEN DEPENDABILITY


- ▶ Class leading innovation for almost two decades
- ▶ Best-in-class 48V DC electric or 13.5-hp gas drivetrain
- ▶ Customizable TruCourse Technology
- ▶ Industry leading battery warranty options
- ▶ Fade-resistant automotive quality paint
- ▶ Durable TPO-construction body

### FEATURES CUSTOMERS NOTICE

- ▶ Oversized bagwell
- ▶ Larger seatbacks provide 23% more support
- ▶ Expanded in-dash storage offers 30% more space
- ▶ Wider, taller cupholders hold 44% more volume
- ▶ Repositioned ball holders for easy reach
- ▶ Convenient USB port (optional)

### SMART DESIGN

- ▶ Updated, modern styling
- ▶ Simplified F-N-R control for easier operation
- ▶ Stronger, redesigned hip restraints
- ▶ Sun canopy with unique drip edge and 25% stronger struts
- ▶ Battery fill system simplifies maintenance (optional)
- ▶ Steel reinforced front and rear bumpers





A Textron Company

OUR COMMITMENT TO  
**green**

- ▶ Gas-powered model features a 13.5-hp Kawasaki® engine with hemispheric combustion chamber for better fuel economy (exceeds EPA/CARB standards)
- ▶ Electric model features quiet, zero-emissions 48-volt electric drivetrain
- ▶ Foam seating constructed from 100% recycled materials
- ▶ Sloped surface design requires less water when cleaning
- ▶ Repairable seat components minimize landfill usage
- ▶ Utilizes recyclable plastic components
- ▶ Manufactured in ISO 14001-certified facility



FRONT



REAR



	ELECTRIC	GAS
<b>DIMENSIONS</b>		
Overall Length	93.0 in (236 cm)	93.0 in (236 cm)
Overall Width	47.0 in (119 cm)	47.0 in (119 cm)
Overall Height (w/o roof)	46.5 in (118 cm) (top of steering wheel)	46.5 in (118 cm) (top of steering wheel)
Overall Height (w/ roof)	67.5 in (171 cm) (top of sun canopy)	67.5 in (171 cm) (top of sun canopy)
Wheel Base	66.0 in (168 cm)	66.0 in (168 cm)
Front Wheel Track	34.0 in (86 cm)	34.0 in (86 cm)
Rear Wheel Track	38.5 in (97 cm)	38.5 in (97 cm)
Ground Clearance @ Differential	4.5 in (11 cm)	4.25 in (10.8 cm)
<b>POWER</b>		
Power Source	48 Volt DC	4-Cycle 24.5 cu in (401cc) Low-Emissions
Valve Train	N/A	Single Cylinder OHV
Motor Type	Shunt Wound	N/A
Horsepower (kW)	3.0 hp (2.2 kW) Continuous	13.5 hp (10.1 kW) Exceeds SAE J1940 Std
Electrical System	48 Volt	Starter/Generator — Solid State Regulator
Batteries (qty/type)	Six, 8 Volt Deep Cycle	One, 12 Volt Maintenance Free
Key or Pedal Start	Pedal	Pedal
Air Cleaner	N/A	Industrial-Rated Dry Filter
Lubrication	N/A	Pressurized Oil System
Oil Filter	N/A	Spin-On
Cooling System	N/A	Air Cooled
Fuel Capacity	N/A	5.3 Gallon (20 L)
Battery Charger	48 VDC PowerWise™ QE, 120 VAC, UL & CSA	N/A
Speed Controller	250 Amp Solid State Controller	N/A
Drivetrain	Motor Shaft Direct Drive	Continuously Variable Transmission (CVT)
Transaxle	Differential with Helical Gears	Differential with Helical Gears
Gear Selection	Seat Mounted Forward-Neutral-Reverse	Forward-Reverse
Rear Axle Ratio	12.44:1	11.42:1 (Forward) 15.78:1 (Reverse)
Battery Warranty	25,000 amp/hr (When equipped with single-point watering system)	N/A
Key Switch	Unique Group, Unique Individual	Unique Group, Unique Individual
Programmable Golf Modes	Coastal, Mild Hill, Steep Hill	N/A
Altitude Settings	N/A	0-3,000 ft, 3,000-6,000 ft, 6,000-10,000 ft
<b>PERFORMANCE</b>		
Seating Capacity	2-Passenger	2-Passenger
Dry Weight (w/o batteries)	557 lb (253 kg)	760 lb (344 kg)
Curb Weight	935 lb (424 kg)	780 lb (354 kg)
Vehicle Load Capacity	800 lb (363 kg)	800 lb (363 kg)
Outside Clearance Circle	19 ft (5.8 m)	19 ft (5.8 m)
Speed (level ground)	10.2 - 14.8 mph (16.4 kph - 23.8 kph)	13.0 mph ± 0.5 mph (21.0 kph ± 0.8 kph)
Towing Capacity	Three E-Z-GO Golf Cars with Approved Permanent Tow Bar	Three E-Z-GO Golf Cars with Approved Permanent Tow Bar
<b>STEERING &amp; SUSPENSION</b>		
Steering	Self-Compensating Rack and Pinion	Self-Compensating Rack and Pinion
Suspension	Leaf Springs with Hydraulic Shock Absorbers	Leaf Springs with Hydraulic Shock Absorbers
Service Brake	Rear Wheel Mechanical Self-Adjusting Drum	Rear Wheel Mechanical Self-Adjusting Drum
Parking Brake	Self-Compensating, Single Point Engagement	Self-Compensating, Single Point Engagement
Tires	18 x 8.50-8 (4-ply rated)	18 x 8.50-8 (4-ply rated)
<b>BODY &amp; CHASSIS</b>		
Frame	Welded Steel with Powder-Coat Protection	Welded Steel with Powder-Coat Protection
Body & Finish	Injection Molded TPO	Injection Molded TPO
Standard Body Color	Ivory or Forest Green	Ivory or Forest Green
Optional Body Colors	Almond, Barley Gold, Black, Burgundy, British Racing Green, Electric Blue, Flame Red, Inferno Red, Java Brown, Metallic Charcoal, Oasis Green, Patriot Blue, Platinum, Steel Blue, Sunburst Orange (custom colors also available)	Almond, Barley Gold, Black, Burgundy, British Racing Green, Electric Blue, Flame Red, Inferno Red, Java Brown, Metallic Charcoal, Oasis Green, Patriot Blue, Platinum, Steel Blue, Sunburst Orange (custom colors also available)
Standard Seat Color	Oyster	Oyster
Optional Seat Colors	Tan, Gray (custom colors also available)	Tan, Gray (custom colors also available)
Pinstripe Colors	Black, Burgundy, Dark Green, Gold, Pewter, Red, White	Black, Burgundy, Dark Green, Gold, Pewter, Red, White



A Textron Company

Features and specifications of vehicles subject to change without notice. Vehicles as photographed may include options not included on base model. ©2014 E-Z-GO Division of Textron Inc. All rights reserved. 822008-G8